

NEW PRODUCTS

FROM



OOYA U.S.A., INC.

647 N. Central Ave. Suite 104
Wood Dale, IL 60191
Phone: 630-238-1667
Fax: 630-238-1683
Email: contact@ooyausa.com



VMC-800/1100

Movement X, Y and Z : 31.5" × 19.7" × 20" / 43.3" × 22" × 22.2"

Magazine Capacity : 16/18/24 Tools

Spindle Motor : 10/15HP




HPC1/HPC2

Movement X, Y and Z : 17.7" × 11.8" × 11.8" / 20.1" × 15.8" × 18.1"

Magazine Capacity : 12

Spindle Motor : 5/7.5/10HP




RE2-1250/1500

Spindle to Column surface : 49-7/32" / 60-5/8"

Column Dia : 12-5/8" / 13-3/8"

Spindle Motor : 5HP



HPC2-APC/HPC3

Movement X, Y and Z : 23.5" × 15.8" × 18.1" / 59.1" × 15.8" × 18.1"

Magazine Capacity : 12

Spindle Motor : 7.5 / 10HP




RE3-2000/2500

Spindle to Columu surface : 79-1/2" / 99-1/4"

Column Dia : 19"

Spindle Motor : 15HP



VMC-2185/1685

Movement X, Y and Z : 85" × 33.5" × 27.6" / 65" × 33.5" × 27.6"

Magazine Capacity : 32 Tools

Spindle Motor : 20HP



VMC-1400

Movement X, Y and Z : 57" × 29.5" × 27.6"

Magazine Capacity : 32 Tools

Spindle Motor : 20HP